




FRIGO VINI CHCV382

WINE COOLER



CHCV382

Frigo vini statico con ventola on-off
Static wine cooler with on-off fan

Capienza / Capacity

CHCV382

Bottiglia cl. 75 / Bottle cl. 75

126

Dati indicativi e variabili a seconda dei diversi packaging / Variable data depending on the different packaging





Porta a sfioro senza cornice ICOOL 40 W
Full glass frameless door ICOOL 40 W



Interno in ABS termoformato
Thermoformed ABS inner liner



Mensole in legno - Optional
Wooden shelves - Optional



Dimensioni mm / Dimensions mm **CHCV382**

Dimensioni Esterne (LxPxH) / External Dimensions (WxDxH)	600 x 624 x 1863
Dimensioni Imballo (LxPxH) / Packaging Dimensions (WxDxH)	660 x 710 x 1990
A - Larghezza / Width	522
B - Profondità / Depth	449
C - Altezza / Height	1557
D - Profondità Min. / Min. Depth	179
E - Altezza Min. / Min. Height	1337
Adesivo Vetro / Glass Sticker	503 x 1544

Caratteristiche Tecniche / Technical Features **CHCV382**

Temperatura / Temperature Range	+16 °C / +10 °C / +5 °C ventola off/fan off +4 °C / +18 °C ventola on/fan on
Classe Climatica / Climate Class	4
Volume Netto-Lordo / Net-Gross Volume	Lt. 342 / 382
Superficie Esterna / Body	Lamiera preverniciata con trattamento anticorrosione Prepainted sheet with anticorrosion treatment
Superficie Interna / Inner Liner	ABS
Termostato / Thermostat	Elettronico / Electronic
Rumorosità / Noise level	dB 55
Spessore isolamento / Insulation thickness	mm 40
Sbrinamento / Defrost	Automatico a fermo compressore + Manuale Automatic compressor cycle + Manual
Illuminazione / Lighting	2 Led verticali / Vertical
Chiusura automatica porta / Self closing door	Si / Yes
Chiave e serratura / Lock and key	Si / Yes
Reversibilità porta / Reversible door	Si / Yes
Mensole (LxP) / Shelves (WxD)	N° 5 - mm 513 x 410
Mensole in Legno / Wooden Shelves	Optional
Ruote-Piedi / Castors-Feet	2 Piedi + 2 Ruote 2 Feet + 2 Castors
Peso Netto-Lordo / Net-Gross Weight	Kg 67 / 79
Voltaggio / Voltage	V 220
Frequenza / Frequency	Hz 50
Refrigerante / Refrigerant	R600A
Assorbimento / Absorption	W 230
Consumo Energia / Energy Consumption	KwH/24H 2,84